

**Hameda Saleem Al Harbe**

**MRN 06277**

**5060**

**DATE OF OPERATION: 27/2/2024**

**DATE OF DISCHARGE: 1/3/2024**

**DIAGNOSIS ON ADMISSION: Left Knee Osteoarthritis**

**REASON FOR ADMISSION/OPERATION: Left total knee arthroplasty**

**SUMMARIZED HISTORY:**

63-year-old, female, with background of DM, HTN, DLP, Gout, OSA on CPAP, presented complaining of chronic Left knee pain and instability, diagnosed as Left Knee Osteoarthritis, and planned for total knee arthroplasty. Patient underwent Left total knee arthroplasty under spinal anesthesia, operation was done successfully, and no complication or bleeding occurred. Postoperative x-rays were reviewed and showed acceptable alignment and positioning of the prosthesis. Patient then was admitted to the ward for observation and postoperative management.

**PATIENT CONDITION ON DISCHARGE:**

- Patient discharged on good condition without complaints.
- The patient has been medically stable and cleared by the physical therapy team and internal medicine team for discharge home.
- The patient fulfilled discharge criteria for total knee replacement:
  - Stable vital signs.
  - Lack of dizziness.
  - Ability to void.
  - Pain controlled with oral analgesics.
  - Medical Clearance by internist.
  - Safe transfer in and out of bed.
  - Ability to walk 200 feet independently with assisted device.
  - Flexion beyond 90 degrees and active extension without lag.
  - Medicine schedule explained to family along with postoperative packet.
  - Patient and family comfortable to be discharged home.
- Home health follow up arranged as scheduled.

**Hameda Saleem Al Harbe**

**MRN 06277**

**5060**

-Home nursing will assess the patient later tonight and twice daily for the next 72 hours. Patient will have daily physical therapy visits for the next 12 days.

-Medications and home supplies were explained to patient and their family.

-They confirmed understanding the medication administration schedule and will call if any questions or concerns.

#### MEDICATIONS ON DISCHARGE:

##### IV medications:

-IV Ketorolac 30 mg BID for 1 day (total of 3 doses, tonight dose + one more day) 1900H (1-3-24)

-IV methylprednisolone 125 mg once daily for 1 day. 0800 (1-3-24)

##### Oral medications:

-Oxycodone/Acetaminophen 5/325 mg every 4 hours according to pain scale 2 tablets for 21 days. 1900H (1-3-24)

-After ketorolac finishes start Celebrex 200 mg twice daily for 7 days then once daily for 2 weeks 1900H 1-3-24

-Pregabalin 75 mg capsule once daily at bedtime for 11 days. 2200H (2-2-24)

-Apixaban 2.5 mg tablet every 12 hours for 30 days 0800H 1-3-24

-Ibuprofen gel to be applied topically around the operated knee three times a day for 30 days. 1400H (1-3-24)

-Ondansetron 4 mg tablet PRN every 8 hours in case of nausea/vomiting for 5 days.

-Esomeprazole 40 mg tablet twice daily for 2 weeks then once daily for 2 weeks 1800H (1-3-24)

-Dulcolax 5 mg 2 tablets every 12 hours as needed (PRN) for 5 days. 0800H (1-3-24)

-Roxonin 100 mg patch over operated leg at the site of maximum pain (to be changed daily) for 30 days. 1400H (1-3-24)

-Scopolamine patch 1mg/72hours every 3 days (to be changed next on 1/3/2024) for 14 days. 0600H (1-3-24)

-Vitamin D 50,000 capsule once weekly for 60 days. 0800H (2-2-24)

-Melatonin 5mg capsule once daily at bedtime. 2200H (2-2-24)

-Reparil gel to be applied to the bruises areas in her arms and lower limbs. 1400H (1-3-24)

#### SPECIAL INSTRUCTIONS:

-To be seen and evaluated in ER in any case of emergency.

**Hameda Saleem Al Harbe**  
**MRN 06277**  
**5060**

-Activity as tolerated with no driving for 2 weeks.

-Weight bearing status: WBAT

-The dressing is to be kept dry and clean. The patient may shower by applying Saran wrap on the dressing. -The dressing is to be changed after the shower.

-Follow up with orthopedic and internal medicine in 5 days with CBC, kidney profile, FBS, GFR and post op knee x ray.

-Follow up with Dr. Sartawi or one of his associates in 2 weeks.

-The patient was instructed to call Dr. Sartawi immediately if there is any drainage, increased redness or severe pain or if they have any concerns.